

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned: Chinaea Andrei-Cătălin, Executive Manager

Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): Astrea
- 0.2.: One
- Type CV *: N/A
- 0.2.1. Variant: 01
- Variant CV *: N/A
- 0.2.2. Version: 02
- Version CV *: N/A
- 0.2.3. Commercial name (if available): Astrea One Plus
- CV * Commercial name (if available): N/A
- 0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B
- CV * Category, subcategory and sub-subcategory of vehicle: N/A
- 0.4. Company name and address of manufacturer: S.C. ARSAT INDUSTRIE S.R.L., loc. Pecica, str. 601, nr. 53, jnd. Arad, ROMÂNIA
- 0.4.2. Name and address of manufacturer's authorized representative (if any): N/A
- 0.5.1. Location of the manufacturer's statutory plate(s): L: x722, y483
- 0.5.2. Method of attachment of the manufacturer's statutory plate(s): Riveted
- 0.6. Location of the vehicle identification number: R: x787, y491
- 1. Vehicle identification number: UUDM01012SP000002

Conforms in all respects to the type described in EU type-approval e19*168/2013*0000/01 (type-approval number including extension number) (CV* type-approval number including extension number) issued on 24/12/2025 (date of issue) (CV* date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer:

Pecica, Romania

06.03.2026

(Place)

(Date)

Signature:



General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twinned wheels: N/A
- 1.3.2. Powered axles: 1, rear
- 6.2.4. Advanced braking system: ABS / CBS / Both ABS and CBS / None: None

Main dimensions

- 2.2.1. Length: 1735 mm
- 2.2.2. Width: 658 mm
- 2.2.3. Height: 1080 mm
- 2.2.4. Wheelbase: 1306 mm

- 2.2.4.1. Wheelbase sidecar: N/A
- 2.2.5. Track width
- 2.2.5.1. Track width front: N/A
- 2.2.5.2. Track width rear: N/A
- 2.2.5.3. Track width sidecar: N/A
- 2.2.10.6. Ground clearance between the axles: N/A
- 2.2.15. Wheelbase to ground clearance ratio: N/A
- 2.2.17. Seat height: N/A

Masses

- 2.1.1. Mass in running order: 46,8 kg
- 2.1.2. Actual mass: 127,5 kg
- 2.1.3. Technically permissible maximum laden mass: 152 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 70 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 91 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N/A
- 2.1.7. Technically permissible maximum towable mass: braked: N/A unbraked: N/A
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N/A
- 2.1.7.2. Technically permissible maximum mass at the coupling point: N/A

Powertrain

- 3.1.1.1. Manufacturer: N/A
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N/A
- 3.2.1.2. Working principle of the combustion engine: internal combustion engine (ICE), positive ignition/compression-ignition/external combustion engine (ICE)/dual-fuel/compressed air
- 3.2.1.4.1. Number of cylinders: N/A
- 3.2.1.4.2. Arrangement of cylinders: N/A
- 3.2.1.5. Engine capacity: N/A
- 1.9. Maximum net power: [CV *] kW (la min⁻¹)
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N/A (CV *: N/A)
- 3.2.3.1. Fuel type: N/A
- 3.2.3.2. Vehicle fuel combination: ~~monocombustibil/bicombustibil/tricombustibil~~
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N/A
- 3.1.2.1. Manufacturer: SiABCOSYS Taizhou City
- 3.1.2.2. Electric motor code (as marked on the engine or other means of identification): AST48V1200W24B0701
- 3.3.3.4. 15/30 minutes power: 1,67 kW (la 550 min⁻¹)
- 3.1.3.1. Manufacturer: N/A
- 3.1.3.2. Application code (as marked on the engine or other means of identification): N/A
- 3.3.1. Electric vehicle configuration: pure electric/hybrid electric/hybrid power electric
- 3.3.5.2. Category of hybrid electric vehicle: off-vehicle charging/hot-off-vehicle charging
- 3.9.2. Maximum assistance factor: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

- 1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

- 3.5.3.9. Transmission (type): W
3.5.4. Gear ratios: N/A
3.5.4.1. Final drive ratio: N/A
3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

- 6.1.8.1.1. Tyre size designation:
Axle 1: 205/35-11 16B 8,00x11 minimum load index: 16
Axle 2: 205/35-11 25B 8,00x11 minimum load index: 25
Sidecar wheel: N/A

Bodywork

- 6.20.2.1. Door configuration and number of doors: N/A
6.16.1. Number of seating position: 1
6.16.1.1. Location and arrangement: N/A

Coupling devices

- 7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

- 4.0.1. Environmental step: Euro (3/4/5)
4.0.6. Sound level measured according to: N/A
4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
3.2.15. Exhaust emissions measured according to N/A
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:
CO: N/A mg/km (CV *: N/A mg/km)
THC: N/A mg/km (CV *: N/A mg/km)
NMHC: N/A mg/km (CV *: N/A mg/km)
NOx: N/A mg/km (CV *: N/A mg/km)
HC + NOx: N/A mg/km (CV *: N/A mg/km)
PM: N/A mg/km (CV *: N/A mg/km)

- 3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV *: N/A)
CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV *: N/A)
3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

- 4.0.2. Fuel consumption: N/A l/kg /100 km [CV *: N/A l/kg (1) /100 km]
4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

- 8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

- 9.1. Remarks: N/A
9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned: Guinea Andrei-Cătălin, Executive Manager

Hereby certifies that the following complete vehicle:

0.1. Make (trade name of the manufacturer): Astrea

0.2.: One

Type CV *: N/A

0.2.1. Variant: 01

Variant CV *: N/A

0.2.2. Version: 02

Version CV *: N/A

0.2.3. Commercial name (if available): Astrea One Plus

CV * Commercial name (if available): N/A

0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B

CV * Category, subcategory and sub-subcategory of vehicle: N/A

0.4. Company name and address of manufacturer: S.C. ARSAT INDUSTRIE S.R.L., loc. Pecica, str.

601, nr. 53, jud. Arad, ROMÂNIA

0.4.2. Name and address of manufacturer's authorized representative (if any): N/A

0.5.1. Location of the manufacturer's statutory plate(s): L: x722, y483

0.6. Location of the vehicle identification number: R: x787, y491

1. Vehicle identification number: UUDM01012SP000025

Conforms in all respects to the type described in EU type-approval *e19*168/2013*00001*01* (type-approval number including extension number) (CV* type-approval number including extension

number) issued on 24/12/2025 (date of issue) (CV* date of issue) and can be permanently registered

in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Pecica, România

06.03.2026

(Place)

(Date)

Signature:



General construction characteristics

1.3. Number of axles: 2 and wheels: 2

1.3.1. Axles with twinned wheels: N/A

1.3.2. Powered axles: 1, rear

6.2.4. Advanced braking system: ABS / CBS / Both ABS and CBS / None: None

Main dimensions

2.2.1. Length: 1735 mm

2.2.2. Width: 658 mm

2.2.3. Height: 1080 mm

2.2.4. Wheelbase: 1306 mm

- 2.2.4.1. Wheelbase sidecar: N/A
- 2.2.5. Track width
- 2.2.5.1. Track width front: N/A
- 2.2.5.2. Track width rear: N/A
- 2.2.5.3. Track width sidecar: N/A
- 2.2.10.6. Ground clearance between the axles: N/A
- 2.2.15. Wheelbase to ground clearance ratio: N/A
- 2.2.17. Seat height: N/A

Masses

- 2.1.1. Mass in running order: 46,8 kg
- 2.1.2. Actual mass: 127,5 kg
- 2.1.3. Technically permissible maximum laden mass: 152 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 70 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 91 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N/A
- 2.1.7. Technically permissible maximum towable mass: braked: N/A unbraked: N/A
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N/A
- 2.1.7.2. Technically permissible maximum mass at the coupling point: N/A

Powertrain

- 3.1.1.1. Manufacturer: N/A
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N/A
- 3.2.1.2. Working principle of the combustion engine: internal combustion engine (ICE)/positive ignition/compression-ignition/external combustion engine (ECE)/turbo/compressed air:
- 3.2.1.4.1. Number of cylinders: N/A
- 3.2.1.4.2. Arrangement of cylinders: N/A
- 3.2.1.5. Engine capacity: N/A
- 1.9. Maximum net power: [CV *: kW (a min⁻¹)]
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N/A (CV *: N/A)
- 3.2.3.1. Fuel type: N/A
- 3.2.3.2. Vehicle fuel combination: ~~monocombustibil/combustibil/multicombustibil~~
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N/A
- 3.1.2.1. Manufacturer: SIACOSYS Taidzhou City
- 3.1.2.2. Electric motor code (as marked on the engine or other means of identification): AST48V1200W24B0701
- 3.3.3.4. ±5/30 minutes power: 1,67 kW (la 550 min⁻¹)
- 3.1.3.1. Manufacturer: N/A
- 3.1.3.2. Application code (as marked on the engine or other means of identification): N/A
- 3.3.1. Electric vehicle configuration: pure electric/hybrid electric/electric/mass power electric
- 3.3.5.2. Category of hybrid electric vehicle: off-vehicle charging/not-off-vehicle charging
- 3.9.2. Maximum assistance factor: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
 3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

3.5.3.9. Transmission (type): W
 3.5.4. Gear ratios: N/A
 3.5.4.1. Final drive ratio: N/A
 3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

6.18.1.1. Tyre size designation:
 Axle 1: 205/35-11 16B 8.00x11 minimum load index: 16
 Axle 2: 205/35-11 25B 8.00x11 minimum load index: 25
 Sidecar wheel: N/A

Bodywork

6.20.2.1. Door configuration and number of doors: N/A
 6.16.1. Number of seating position: 1
 6.16.1.1. Location and arrangement: N/A

Coupling devices

7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

4.0.1. Environmental step: Euro (3/4/5)
 4.0.6. Sound level measured according to: N/A
 4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
 4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
 3.2.15. Exhaust emissions measured according to N/A
 3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO:	N/A mg/km (CV *: N/A mg/km)
THC:	N/A mg/km (CV *: N/A mg/km)
NMHC:	N/A mg/km (CV *: N/A mg/km)
NOx:	N/A mg/km (CV *: N/A mg/km)
HC + NOx:	N/A mg/km (CV *: N/A mg/km)
PM:	N/A mg/km (CV *: N/A mg/km)

3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
 HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV*: N/A)
 CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV*: N/A)
 3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

4.0.2. Fuel consumption: N/A l/kg/100 km [CV *: N/A l/kg (1) /100 km]
 4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
 4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
 4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A3 and vice versa: yes/no
 (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

9.1. Remarks: N/A
 9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned: Ghinea Andrei-Cătălin, Executive Manager

Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): Astreca
- 0.2.: One
- Type CV *: N/A
- 0.2.1. Variant: 01
- Variant CV *: N/A
- 0.2.2. Version: 02
- Version CV *: N/A
- 0.2.3. Commercial name (if available): Astreca One Plus
- CV * Commercial name (if available): N/A
- 0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B
- CV * Category, subcategory and sub-subcategory of vehicle: N/A
- 0.4. Company name and address of manufacturer: S.C. ARSAT INDUSTRIE S.R.L., loc. Pecica, str. 601, nr. 53, jud. Arad, ROMÂNIA
- 0.4.2. Name and address of manufacturer's authorized representative (if any): N/A
- 0.5.1. Location of the manufacturer's statutory plate(s): L: x722, y483
- 0.5.2. Method of attachment of the manufacturer's statutory plate(s): Riveted
- 0.6. Location of the vehicle identification number: R: x787, y491

1. Vehicle identification number: UUDM01012SP000026
Conforms in all respects to the type described in EU type-approval *e19*68/2013*00001*01* (type-approval number including extension number) (CV* type-approval number including extension number) issued on 24/12/2025 (date of issue) (CV* date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Pecica, România

06.03.2026

(Place)

(Date)

Signature:



General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twinned wheels: N/A
- 1.3.2. Powered axles: 1, rear
- 6.2.4. Advanced braking system: ABS / CBS / Both ABS and CBS / None: None

Main dimensions

- 2.2.1. Length: 1735 mm
- 2.2.2. Width: 658 mm
- 2.2.3. Height: 1080 mm
- 2.2.4. Wheelbase: 1306 mm

- 2.2.4.1. Wheelbase sidecar: N/A
- 2.2.5. Track width
- 2.2.5.1. Track width front: N/A
- 2.2.5.2. Track width rear: N/A
- 2.2.5.3. Track width sidecar: N/A
- 2.2.10.6. Ground clearance between the axles: N/A
- 2.2.15. Wheelbase to ground clearance ratio: N/A
- 2.2.17. Seat height: N/A

Masses

- 2.1.1. Mass in running order: 46,8 kg
- 2.1.2. Actual mass: 127,5 kg
- 2.1.3. Technically permissible maximum laden mass: 152 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 70 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 91 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N/A
- 2.1.7. Technically permissible maximum towable mass: braked: N/A unbraked: N/A
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N/A
- 2.1.7.2. Technically permissible maximum mass at the coupling point.: N/A

Powertrain

- 3.1.1.1. Manufacturer: N/A
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N/A
- 3.2.1.2. Working principle of the combustion engine: ~~internal combustion engine (ICE)~~ positive ~~ignition/external combustion engine (ICE)/turbocharged and~~
- 3.2.1.4.1. Number of cylinders: N/A
- 3.2.1.4.2. Arrangement of cylinders: N/A
- 3.2.1.5. Engine capacity: N/A
- 1.9. Maximum net power: [CV *: kW (la min⁻¹)]
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N/A (CV *: N/A)
- 3.2.3.1. Fuel type: N/A
- 3.2.3.2. Vehicle fuel combination: ~~monobasic/dibasic/tri-basic~~
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N/A
- 3.1.2.1. Manufacturer: SI AECOSYS Taihou City
- 3.1.2.2. Electric motor code (as marked on the engine or other means of identification): AST48V1200W24B0701
- 3.3.3.4. 45/30 minutes power: 1,67 kW (la 550 min⁻¹)
- 3.1.3.1. Manufacturer: N/A
- 3.1.3.2. Application code (as marked on the engine or other means of identification): N/A
- 3.3.1. Electric vehicle configuration: pure electric/hybrid electric/manpower electric
- 3.3.5.2. Category of hybrid electric vehicle: ~~off-vehicle charging/net-off-vehicle charging~~
- 3.9.2. Maximum assistance factor: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

- 1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

- 3.5.3.9. Transmission (type): W
3.5.4. Gear ratios: N/A
3.5.4.1. Final drive ratio: N/A
3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

- 6.1.8.1.1. Tyre size designation:
Axle 1: 205/35-11 16B 8,00x11 minimum load index: 16
Axle 2: 205/35-11 25B 8,00x11 minimum load index: 25
Sidecar wheel: N/A

Bodywork

- 6.20.2.1. Door configuration and number of doors: N/A
6.16.1. Number of seating position: 1
6.16.1.1. Location and arrangement: N/A

Coupling devices

- 7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

- 4.0.1. Environmental step: Euro (3/4/5)
4.0.6. Sound level measured according to: N/A
4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
3.2.15. Exhaust emissions measured according to: N/A
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:
CO: N/A mg/km (CV *: N/A mg/km)
THC: N/A mg/km (CV *: N/A mg/km)
NMHC: N/A mg/km (CV *: N/A mg/km)
NOx: N/A mg/km (CV *: N/A mg/km)
HC + NOx: N/A mg/km (CV *: N/A mg/km)
PM: N/A mg/km (CV *: N/A mg/km)
3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV *: N/A)
CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV *: N/A)
3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

- 4.0.2. Fuel consumption: N/A l/kg/100 km [CV *: N/A l/kg (l) /100 km]
4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

- 8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

- 9.1. Remarks: N/A
9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned: **Chinea Andrei-Cătălin, Executive Manager**

Hereby certifies that the following complete vehicle:

0.1. Make (trade name of the manufacturer): **Astreca**

0.2.: **One**

Type CV *: **N/A**

0.2.1. Variant: **01**

Variant CV *: **N/A**

0.2.2. Version: **02**

Version CV *: **N/A**

0.2.3. Commercial name (if available): **Astreca One Plus**

CV * Commercial name (if available): **N/A**

0.3. Category, subcategory and sub-subcategory of vehicle: **L1e-B**

CV * Category, subcategory and sub-subcategory of vehicle: **N/A**

0.4. Company name and address of manufacturer: **S.C. ARSAT INDUSTRIE S.R.L., loc. Pecica, str.**

601, nr. 53, jud. Arad, ROMÂNIA

0.4.2. Name and address of manufacturer's authorized representative (if any): **N/A**

0.5.1. Location of the manufacturer's statutory plate(s): **L: x722, y483**

0.5.2. Method of attachment of the manufacturer's statutory plate(s): **Riveted**

0.6. Location of the vehicle identification number: **R: x787, y491**

1. Vehicle identification number: **UUDM01012SP000034**

Conforms in all respects to the type described in EU type-approval **e/9*/68/2013*00001*01** (type-approval number including extension number) (CV* type-approval number including extension number) issued on **24/12/2025** (date of issue) (CV* date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Pecica, România

06.03.2026

(Place)

(Date)

Signature:



General construction characteristics

1.3. Number of axles: **2** and wheels: **2**

1.3.1. Axles with twinned wheels: **N/A**

1.3.2. Powered axles: **1, rear**

6.2.4. Advanced braking system: **ABS / CBS / Both ABS and CBS / None: None**

Main dimensions

2.2.1. Length: **1735 mm**

2.2.2. Width: **658 mm**

2.2.3. Height: **1080 mm**

2.2.4. Wheelbase: **1306 mm**

- 2.2.4.1. Wheelbase sidecar: **N/A**
- 2.2.5. Track width
- 2.2.5.1. Track width front: **N/A**
- 2.2.5.2. Track width rear: **N/A**
- 2.2.5.3. Track width sidecar: **N/A**
- 2.2.10.6. Ground clearance between the axles: **N/A**
- 2.2.15. Wheelbase to ground clearance ratio: **N/A**
- 2.2.17. Seat height: **N/A**

Masses

- 2.1.1. Mass in running order: **46,8 kg**
- 2.1.2. Actual mass: **127,5 kg**
- 2.1.3. Technically permissible maximum laden mass: **152 kg**
- 2.1.3.1. Technically permissible maximum mass on front axle: **70 kg**
- 2.1.3.2. Technically permissible maximum mass on rear axle: **91 kg**
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: **N/A**
- 2.1.7. Technically permissible maximum towable mass: **braked: N/A unbraked: N/A**
- 2.1.7.1. Technically permissible maximum laden mass of the combination: **N/A**
- 2.1.7.2. Technically permissible maximum mass at the coupling point: **N/A**

Powertrain

- 3.1.1.1. Manufacturer: **N/A**
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): **N/A**
- 3.2.1.2. Working principle of the combustion engine: **internal combustion engine (ICE)/positive ignition/compression ignition/external combustion engine (BE)/turbo/compressed air:**
- 3.2.1.4.1. Number of cylinders: **N/A**
- 3.2.1.4.2. Arrangement of cylinders: **N/A**
- 3.2.1.5. Engine capacity: **N/A**
- 1.9. Maximum net power: [CV*]: kW (la min⁻¹)
- 1.10. Ratio maximum net power/mass of the vehicle in running order: **N/A** (CV*: **N/A**)
- 3.2.3.1. Fuel type: **N/A**
- 3.2.3.2. Vehicle fuel combination: ~~monocombustibil/combustibil/multicombustibil~~
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: **N/A**
- 3.1.2.1. Manufacturer: **SiAECOSYS Taizhou City**
- 3.1.2.2. Electric motor code (as marked on the engine or other means of identification): **AST48V1200W24B0701**
- 3.3.3.4. 15/30 minutes power: **1,67 kW (la 550 min⁻¹)**
- 3.1.3.1. Manufacturer: **N/A**
- 3.1.3.2. Application code (as marked on the engine or other means of identification): **N/A**
- 3.3.1. Electric vehicle configuration: **pure electric/hybrid electric/alternative power electric**
- 3.3.5.2. Category of hybrid electric vehicle: **off-vehicle charging/not-off-vehicle charging**
- 3.9.2. Maximum assistance factor: **N/A**

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

- 1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

- 3.5.3.9. Transmission (type): W
3.5.4. Gear ratios: N/A
3.5.4.1. Final drive ratio: N/A
3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

- 6.18.1.1. Tyre size designation:
Axle 1: 205/35-11 16B 8,00x11 minimum load index: 16
Axle 2: 205/35-11 25B 8,00x11 minimum load index: 25
Sidecar wheel: N/A

Bodywork

- 6.20.2.1. Door configuration and number of doors: N/A
6.16.1. Number of seating position: 1
6.16.1.1. Location and arrangement: N/A

Coupling devices

- 7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

- 4.0.1. Environmental step: Euro (3.4/5)
4.0.6. Sound level measured according to: N/A
4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
3.2.15. Exhaust emissions measured according to N/A
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO: N/A mg/km (CV *: N/A mg/km)
THC: N/A mg/km (CV *: N/A mg/km)
NMHC: N/A mg/km (CV *: N/A mg/km)
NOx: N/A mg/km (CV *: N/A mg/km)
HC + NOx: N/A mg/km (CV *: N/A mg/km)
PM: N/A mg/km (CV *: N/A mg/km)

- 3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV*: N/A)
CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV*: N/A)
3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

- 4.0.2. Fuel consumption: N/A l/kg/100 km [CV *: N/A l/kg (1) /100 km]
4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

- 8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

- 9.1. Remarks: N/A
9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

- 1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
 3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

- 3.5.3.9. Transmission (type): W
 3.5.4. Gear ratios: N/A
 3.5.4.1. Final drive ratio: N/A
 3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

- 6.18.1.1. Tyre size designation:
 Axle 1: 205/35-11 16B 8.00x11 minimum load index: 16
 Axle 2: 205/35-11 25B 8.00x11 minimum load index: 25
 Sidecar wheel: N/A

Bodywork

- 6.20.2.1. Door configuration and number of doors: N/A
 6.16.1. Number of seating position: 1
 6.16.1.1. Location and arrangement: N/A

Coupling devices

- 7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

- 4.0.1. Environmental step: Euro (3/4/5)
 4.0.6. Sound level measured according to: N/A
 4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
 4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
 3.2.15. Exhaust emissions measured according to N/A
 3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO:	N/A mg/km (CV *: N/A mg/km)
THC:	N/A mg/km (CV *: N/A mg/km)
NMHC:	N/A mg/km (CV *: N/A mg/km)
NOx:	N/A mg/km (CV *: N/A mg/km)
HC + NOx:	N/A mg/km (CV *: N/A mg/km)
PM:	N/A mg/km (CV *: N/A mg/km)

- 3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
 HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV*: N/A)
 CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV*: N/A)
 3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

- 4.0.2. Fuel consumption: N/A l/kg /100 km [CV *: N/A l/kg (1) /100 km]
 4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
 4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
 4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

- 8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

- 9.1. Remarks: N/A
 9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned: Ghinea Andrei-Cătălin, Executive Manager

Hereby certifies that the following complete vehicle:

0.1. Make (trade name of the manufacturer): Astreca

0.2.: One

Type CV *: N/A

0.2.1. Variant: 01

Variant CV *: N/A

0.2.2. Version: 02

Version CV *: N/A

0.2.3. Commercial name (if available): Astreca One Plus

CV * Commercial name (if available): N/A

0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B

CV * Category, subcategory and sub-subcategory of vehicle: N/A

0.4. Company name and address of manufacturer: S.C. ARSAT INDUSTRIE S.R.L., loc. Pecica, str. 601, nr. 53, jud. Arad, ROMÂNIA

0.4.2. Name and address of manufacturer's authorized representative (if any): N/A

0.5.1. Location of the manufacturer's statutory plate(s): L: x722, y483

0.5.2. Method of attachment of the manufacturer's statutory plate(s): Riveted

0.6. Location of the vehicle identification number: R: x787, y491

1. Vehicle identification number: UJDM01012SP000007

Conforms in all respects to the type described in EU type-approval e19*168/2013*00001*01 (type-approval number including extension number) (CV* type-approval number including extension number) issued on 24/12/2025 (date of issue) (CV* date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Pecica, România

06.03.2026

(Place)

(Date)

Signature:



General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twinned wheels: N/A
- 1.3.2. Powered axles: 1, rear
- 6.2.4. Advanced braking system: ABS / CBS / Both ABS and CBS / None: None

Main dimensions

- 2.2.1. Length: 1735 mm
- 2.2.2. Width: 658 mm
- 2.2.3. Height: 1080 mm
- 2.2.4. Wheelbase: 1306 mm

- 2.2.4.1. Wheelbase sidecar: N/A
- 2.2.5. Track width
- 2.2.5.1. Track width front: N/A
- 2.2.5.2. Track width rear: N/A
- 2.2.5.3. Track width sidecar: N/A
- 2.2.10.6. Ground clearance between the axles: N/A
- 2.2.15. Wheelbase to ground clearance ratio: N/A
- 2.2.17. Seat height: N/A

Masses

- 2.1.1. Mass in running order: 46,8 kg
- 2.1.2. Actual mass: 127,5 kg
- 2.1.3. Technically permissible maximum laden mass: 152 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 70 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 91 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N/A
- 2.1.7. Technically permissible maximum towable mass: braked: N/A unbraked: N/A
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N/A
- 2.1.7.2. Technically permissible maximum mass at the coupling point: N/A

Powertrain

- 3.1.1.1. Manufacturer: N/A
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N/A
- 3.2.1.2. Working principle of the combustion engine: internal combustion engine (ICE)/positive ignition/compression-ignition/external combustion engine (EC)/turbocharged and
- 3.2.1.4.1. Number of cylinders: N/A
- 3.2.1.4.2. Arrangement of cylinders: N/A
- 3.2.1.5. Engine capacity: N/A
- 1.9. Maximum net power: [CV *: kW (la min⁻¹)]
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N/A (CV *: N/A)
- 3.2.3.1. Fuel type: N/A
- 3.2.3.2. Vehicle fuel combination: ~~monocombustibil/combustibil/multicombustibil~~
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N/A
- 3.1.2.1. Manufacturer: SAECOSYS Taizhou City
- 3.1.2.2. Electric motor code (as marked on the engine or other means of identification): AST48V1200W24B0701
- 3.3.3.4. 45/30 minutes power: 1,67 kW (la 550 min⁻¹)
- 3.1.3.1. Manufacturer: N/A
- 3.1.3.2. Application code (as marked on the engine or other means of identification): N/A
- 3.3.1. Electric vehicle configuration: pure electric/hybrid electric/electric/hybrid power electric
- 3.3.5.2. Category of hybrid electric vehicle: off-vehicle charging/not-off-vehicle charging
- 3.9.2. Maximum assistance factor: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

- 1.8. Maximum speed of vehicle: 45 km/h (CV #: N/A)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

- 3.5.3.9. Transmission (type): W
3.5.4. Gear ratios: N/A
3.5.4.1. Final drive ratio: N/A
3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

- 6.18.1.1. Tyre size designation:
Axle 1: 205/35-11 16B 8.00x11 minimum load index: 16
Axle 2: 205/35-11 25B 8.00x11 minimum load index: 25
Sidecar wheel: N/A

Bodywork

- 6.20.2.1. Door configuration and number of doors: N/A
6.16.1. Number of seating position: 1
6.16.1.1. Location and arrangement: N/A

Coupling devices

- 7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

- 4.0.1. Environmental step: Euro (3/4/5)
4.0.6. Sound level measured according to: N/A
4.0.6.1. Stationary: N/A dB(A) [CV #: N/A dB(A)]
4.0.6.2. Drive-by: N/A dB(A) [CV #: N/A dB(A)]
3.2.15. Exhaust emissions measured according to N/A
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:
CO: N/A mg/km (CV #: N/A mg/km)
THC: N/A mg/km (CV #: N/A mg/km)
NMHC: N/A mg/km (CV #: N/A mg/km)
NOx: N/A mg/km (CV #: N/A mg/km)
HC + NOx: N/A mg/km (CV #: N/A mg/km)
PM: N/A mg/km (CV #: N/A mg/km)

- 3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV #: N/A)
CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV #: N/A)
3.2.15.3. Smoke corrected absorption coefficient: N/A m^{-1} (CV #: N/A m^{-1})

Energy efficiency

- 4.0.2. Fuel consumption: N/A l/kg /100 km [CV #: N/A l/kg (l) /100 km]
4.0.3. CO₂ emissions: N/A g/km (CV #: N/A g/km)
4.0.4. Energy consumption: 23 Wh/km (CV #: N/A Wh/km)
4.0.5. Electric range: 44 km (CV #: N/A Wh/km)

Conversion of the performance of the vehicle:

- 8.1. Vehicle appropriate for converting its performance level between subcategories (L3c/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

- 9.1. Remarks: N/A
9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

- 1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

- 3.5.3.9. Transmission (type): W
3.5.4. Gear ratios: N/A
3.5.4.1. Final drive ratio: N/A
3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

- 6.18.1.1. Tyre size designation:
Axle 1: 205/35-11 16B 8.00x11 Axle 2: 205/35-11 23B 8.00x11
minimum load index: 16 minimum load index: 25
Sidocar wheel: N/A

Bodywork

- 6.20.2.1. Door configuration and number of doors: N/A
6.16.1. Number of seating position: 1
6.16.1.1. Location and arrangement: N/A

Coupling devices

- 7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

- 4.0.1. Environmental step: Euro (3/4/5)
4.0.6. Sound level measured according to: N/A
4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
3.2.15. Exhaust emissions measured according to N/A
3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO: N/A mg/km (CV *: N/A mg/km)
THC: N/A mg/km (CV *: N/A mg/km)
NMHC: N/A mg/km (CV *: N/A mg/km)
NOx: N/A mg/km (CV *: N/A mg/km)
HC + NOx: N/A mg/km (CV *: N/A mg/km)
PM: N/A mg/km (CV *: N/A mg/km)

- 3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV*: N/A)
CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV*: N/A)
3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

- 4.0.2. Fuel consumption: N/A l/kg /100 km [CV *: N/A l/kg (1) /100 km]
4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

- 8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

- 9.1. Remarks: N/A
9.2. Exemptions: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

The undersigned: Ghimcea Andrei-Cătălin, Executive Manager

Hereby certifies that the following complete vehicle:

- 0.1. Make (trade name of the manufacturer): Astreca
- 0.2.: One
- Type CV *: N/A
- 0.2.1. Variant: 01
- Variant CV *: N/A
- 0.2.2. Version: 02
- Version CV *: N/A
- 0.2.3. Commercial name (if available): Astreca One Plus
- CV * Commercial name (if available): N/A

0.3. Category, subcategory and sub-subcategory of vehicle: L1e-B

CV * Category, subcategory and sub-subcategory of vehicle: N/A

0.4. Company name and address of manufacturer: S.C. ARSAT INDUSTRIE S.R.L., loc. Pecica, str.

601, nr. 53, jud. Arad, ROMÂNIA

0.4.2. Name and address of manufacturer's authorized representative (if any): N/A

0.5.1. Location of the manufacturer's statutory plate(s): L: x722, y483

0.5.2. Method of attachment of the manufacturer's statutory plate(s): Riveted

0.6. Location of the vehicle identification number: R: x787, y491

1. Vehicle identification number: UUDM01012SP000017

Conforms in all respects to the type described in EU type-approval e/9*/68/2013*00001*01 (type-approval number including extension number) (CV* type-approval number including extension number) issued on 24/12/2025 (date of issue) (CV* date of issue) and can be permanently registered in Member States having right/left-hand traffic and using metric/imperial units for the speedometer.

Pecica, România

06.03.2026

(Place)

(Date)

Signature:



General construction characteristics

- 1.3. Number of axles: 2 and wheels: 2
- 1.3.1. Axles with twinned wheels: N/A
- 1.3.2. Powered axles: 1, rear
- 6.2.4. Advanced braking system: ABS / CBS / Both ABS and CBS / None: None

Main dimensions

- 2.2.1. Length: 1735 mm
- 2.2.2. Width: 658 mm
- 2.2.3. Height: 1080 mm
- 2.2.4. Wheelbase: 1306 mm

- 2.2.4.1. Wheelbase sidecar: N/A
- 2.2.5. Track width
- 2.2.5.1. Track width front: N/A
- 2.2.5.2. Track width rear: N/A
- 2.2.5.3. Track width sidecar: N/A
- 2.2.10.6. Ground clearance between the axles: N/A
- 2.2.15. Wheelbase to ground clearance ratio: N/A
- 2.2.17. Seat height: N/A

Masses

- 2.1.1. Mass in running order: 46,8 kg
- 2.1.2. Actual mass: 127,5 kg
- 2.1.3. Technically permissible maximum laden mass: 152 kg
- 2.1.3.1. Technically permissible maximum mass on front axle: 70 kg
- 2.1.3.2. Technically permissible maximum mass on rear axle: 91 kg
- 2.1.3.3. Technically permissible maximum mass on sidecar axle: N/A
- 2.1.7. Technically permissible maximum towable mass: braked: N/A unbraked: N/A
- 2.1.7.1. Technically permissible maximum laden mass of the combination: N/A
- 2.1.7.2. Technically permissible maximum mass at the coupling point.: N/A

Powertrain

- 3.1.1.1. Manufacturer: N/A
- 3.1.1.2. Engine code (as marked on the engine or other means of identification): N/A
- 3.2.1.2. Working principle of the combustion engine: internal combustion engine (ICE)/positive ignition/compression ignition/external combustion engine (EE)/turbo-compressed air
- 3.2.1.4.1. Number of cylinders: N/A
- 3.2.1.4.2. Arrangement of cylinders: N/A
- 3.2.1.5. Engine capacity: N/A
- 1.9. Maximum net power: [CV *: kW (la min⁻¹)]
- 1.10. Ratio maximum net power/mass of the vehicle in running order: N/A (CV *: N/A)
- 3.2.3.1. Fuel type: N/A
- 3.2.3.2. Vehicle fuel combination: none/ethanol/bioethanol/methanol/bioethanol
- 3.2.3.2.1. Maximum amount of bio-fuel acceptable in fuel: N/A
- 3.1.2.1. Manufacturer: SIABCOSYS Taizhou City
- 3.1.2.2. Electric motor code (as marked on the engine or other means of identification): AST48V1200W24B0701
- 3.3.3.4. 45/30 minutes power: 1,67 kW (la 550 min⁻¹)
- 3.1.3.1. Manufacturer: N/A
- 3.1.3.2. Application code (as marked on the engine or other means of identification): N/A
- 3.3.1. Electric vehicle configuration: pure electric/hybrid electric/hybrid power electric
- 3.3.5.2. Category of hybrid electric vehicle: off-vehicle-charging/not-off-vehicle-charging
- 3.9.2. Maximum assistance factor: N/A

COMPLETE VEHICLE EU CERTIFICATE OF CONFORMITY

Maximum speed

1.8. Maximum speed of vehicle: 45 km/h (CV *: N/A)
 3.9.3. Maximum vehicle speed for which the electric motor gives assistance: N/A

Drive-train and control

3.5.3.9. Transmission (type): W
 3.5.4. Gear ratios: N/A
 3.5.4.1. Final drive ratio: N/A
 3.5.4.2. Overall gear ratio in highest gear: N/A

Installation of tyres

6.18.1.1. Tyre size designation:
 Axle 1: 205/35-11 16B 8.00x11 minimum load index: 16
 Axle 2: 205/35-11 25B 8.00x11 minimum load index: 25
 Sidecar wheel: N/A

Bodywork

6.20.2.1. Door configuration and number of doors: N/A
 6.16.1. Number of seating position: 1
 6.16.1.1. Location and arrangement: N/A

Coupling devices

7.2.8. Numărul omologării de tip a dispozitivului de cuplare: N/A

Environmental performance

4.0.1. Environmental step: Euro (3/4/5)
 4.0.6. Sound level measured according to: N/A
 4.0.6.1. Stationary: N/A dB(A) [CV *: N/A dB(A)]
 4.0.6.2. Drive-by: N/A dB(A) [CV *: N/A dB(A)]
 3.2.15. Exhaust emissions measured according to: N/A
 3.2.15.1. Type I test: tailpipe emissions after cold start, including the deterioration factor, if applicable:

CO:	N/A mg/km (CV *: N/A mg/km)
THC:	N/A mg/km (CV *: N/A mg/km)
NMHC:	N/A mg/km (CV *: N/A mg/km)
NOx:	N/A mg/km (CV *: N/A mg/km)
HC + NOx:	N/A mg/km (CV *: N/A mg/km)
PM:	N/A mg/km (CV *: N/A mg/km)

3.2.15.2. Type II test: tailpipe emissions at (increased) idle and free acceleration:
 HC: N/A ppm at normal idling speed and: N/A ppm at high idle speed (CV*: N/A)
 CO: N/A %vol at normal idling speed and: N/A %vol at high idle speed (CV*: N/A)
 3.2.15.3. Smoke corrected absorption coefficient: N/A m⁻¹ (CV *: N/A m⁻¹)

Energy efficiency

4.0.2. Fuel consumption: N/A l/kg /100 km [CV *: N/A l/kg (l) /100 km]
 4.0.3. CO₂ emissions: N/A g/km (CV *: N/A g/km)
 4.0.4. Energy consumption: 23 Wh/km (CV *: N/A Wh/km)
 4.0.5. Electric range: 44 km (CV *: N/A Wh/km)

Conversion of the performance of the vehicle:

8.1. Vehicle appropriate for converting its performance level between subcategories (L3e/L4e)-A and (L3e/L4e)-A3 and vice versa: yes/no

Additional information:

9.1. Remarks: N/A
 9.2. Exemptions: N/A

